

प्रेषक

उप मण्डल अधिकारी (ना0),
बरवाला।

प्रेषित

श्री रामनिवास घोड़ेला,
वार्ड नं0 14 बरवाला जिला हिसार।
मो0 नं0 9416380283

कमांक 1027 / स्टैनो दिनांक 29-10-2024

विषय:-

Application for verification of the EVM including Control Unit, Ballot Unit and VVPAT Machines in lieu of the direction of the Supreme Court and letter issued by Election Commission of India letter no. 51/8/INST/2024-EMS dated 1st June 2024.

उपरोक्त विषय बारे आपके द्वारा इस कार्यालय की ई-मेल पर दिनांक 10-10-2024 व 15-10-2024 को प्रेषित किए गए पत्र का जवाब (प्रति संलग्न) आपको प्रेषित है।

संलग्न:- उपरोक्त

उप मण्डल अधिकारी (ना0),
बरवाला।

5

From

Returning Officer,
51-Barwala Assembly Constituency-cum-
Sub Divisional Officer (C), Barwala.

To

Sh. RamniwasGhorela,
Indian National Congress Candidate
51-Barwala Assembly Constituency.

Memo No.920

dated: 23.10.2024

Subject: Reply to the Complaint Regarding EVM Battery Levels During Counting Process and discrepancies in the counting process of candidate Ram NiwasGhorela from Barwala assembly constituency.

Please, find the reference to your complaint dated 9th October 2024, which you have emailed to the Returning Officer, 51-Barwala Assembly Constituency which was received in this office on 10.09.2024 concerning the Haryana Legislative Assembly General Elections-- 2024. In your complaint you raised certain allegation regarding the status of the battery display in the Electronic Voting Machine. Particularly the observation that the EVM battery levels showed 90% and some rare affair for battery to have 99% level indicating skewed result in favour of a particular candidate on the day of counting. It was further alleged that such battery levels are unlikely, implying a potential discrepancy in the process. However, in your complaint you have not mentioned any specific polling stations and your complaint was received after a gap of two days in this office. All the allegations levelled by you in your complaint have been perused and the detailed reply based on the various instruction, manual and guidelines issued by the Election Commission of India time to time and as per the Conduct of the Election Rules 1961 and various provisions in the Representation of People Act 1951, is hereby provided.

The election process begins six months prior to the general election. First, the First Level Check (FLC) of the Electronic Voting Machines (EVMs) is conducted. Accordingly, the undersigned remains continuously active until the election is concluded. It would not be inappropriate to say that a Returning Officer works continuously and tirelessly, adhering to the standards laid down by the Commission, while being on duty 24 hours a day as per its guidelines. The presence of the Returning Officer during all procedures is not only mandatory but also ensures the smooth running of the process. All the duties as a Returning Officer throughout the various stages of the election have been diligently and faithfully performed. A brief overview of the entire process in relation to the complaint has been provided.

The administrative safeguards defined in the Commission's instructions and guidelines, combined with the technological security features, make the Electronic Voting Machines tamper-proof and completely free from manipulation. The Commission has prepared a checklist for each aspect of EVM handling after the election results are declared, which includes the transportation of machines from the manufacturer and the storage of the Electronic

Voting Machines. Additionally, dos and don'ts have been specified to address any potential issues at various stages of the election.

The Election Commission has implemented a detailed and strict administrative system of protective measures and procedural checks and balances to ensure that Electronic Voting Machines are safe from any form of misuse, unauthorized access, or inadvertent procedural errors, whether before, during, or after voting, during storage or transportation. These security measures are applied transparently at every stage with the active and well-documented participation of political parties, candidates, and their representatives to build trust in the integrity and reliability of Electronic Voting Machines. These functions and procedures are carried out under the supervision, direction, and control of the Election Commission by District Election Officers, Returning Officers, or senior district officials, which you are well aware of. The involvement of political party agents in the process is so robust that no change in the EVMs or their transportation from one place to another is possible without the participation of political representatives.

Various Steps involved for the EVM during Election Process:

1. Preparedness for Election and EVM handling.
2. Randomization of EVM.
3. Commissioning of EVM for conducting the poll and post poll procedure.
4. Storage of polled EVM.
5. Counting of Votes.

1. **Preparedness for Election and EVM handling:** This process involves the following steps:

- a) Pre-Election Processes.
- b) Various safety, security and Technological Measures for EVMs.
- c) First Level Checking (FLC).
- d) Storage after FLC.

a) **Pre-Election Process:**

The election process commences approximately six months before the scheduled election date. One of the first steps is the First Level Check (FLC) of the EVMs, where a thorough inspection of each EVM is conducted to ensure its proper functionality by strictly adhering to the ECI Guideline. Entire personal involved in election process work tirelessly throughout this period to ensure utmost transparency accountability and compliance with the legal mandates until the conclusion of the election.

b) **Various safety, security and Technological Measures for EVMs.**

A detailed checklist governs every aspect of EVM handling, from transportation to storage, and at each stage, strict procedures are followed. The ECI has instituted robust technological and administrative safeguards to ensure that EVMs are free from any tampering or malpractices. The political parties and their representatives are actively involved in all the key aspect of the EVM handling and preparations for the election, that

eliminate any opportunity for any interference, which in turn ensures the credibility of the EVMs remains intact.

c) **First Level Checking (FLC)**

According to the instructions of the Commission, included in the EVM Manual (August 2023), letter no. 51/8/16/9/2017-EMS (P&L) dated 09.11.2017, the detailed First Level Check (FLC) of both components of EVMs and VVPATs is carried out at least 180 days before the election in the state. The purpose of FLC is to ensure the authenticity and suitability of the EVMs and VVPATs to be used in the elections. The FLC is conducted at the district level under the supervision of the District Election Officer (DEO) in a fully secured and protected environment, in the presence of representatives of recognized political parties, by engineers from the manufacturing company. The DEO prepares a detailed schedule for the FLC and shares it in writing with each recognized political party at the district level, at least two days before the commencement of the schedule, under suitable acknowledgment, and copies it to the state headquarters of the party. Political party representatives are requested to be present during the FLC. If they fail to participate in the FLC, a reminder is sent with acknowledgment. A register is maintained to obtain the signatures of the political party representatives who attend the FLC.

The First Level Check (FLC) is a diagnostic test for each Ballot Unit (BU), Control Unit (CU), and VVPAT to verify the full functionality of the machines, as mandated by the manufacturer. After the inspection, the manufacturer issues a proper certificate stating that all the components of the EVM are original.

The FLC is conducted in a large hall with 24x7 CCTV coverage and under full security with the presence of armed police forces, as per the detailed Standard Operating Procedure (SOP) provided by BEL/ECIL. A logbook is maintained at every entry and exit point to record the details of each person entering the premises. The entire FLC process is supervised through webcasting at the DEO and CEO level control rooms (strong rooms) and reports are submitted to the Commission.

As mentioned above, political parties are actively involved in every stage of the FLC to their full satisfaction. They are allowed to randomly select any machine and conduct mock polling themselves.

After the FLC, the machines are sealed with pink paper seals. Political party representatives also sign the pink paper seal.

For district Hisar, the FLC was conducted at District headquarter w.e.f. 1-08-2024 to 20-08-2024 at Silver Jubilee Hall, Panchayat Bhawan, Hisar. The intimation of FLC was made to national recognized and state recognized party vide letter no. Election-2024/3380 Dt. 29.07.2024 where they were requested to remain present to witness the FLC process. The following political party representative have attended the FLC process (attached with annexure 1, 2, 3):

1. Sh. Ramesh Chugh, INLD.
2. Sh. Sita Ram, AAP.
3. Sh. Anil, INC.
4. Sh. Anupal, INC.

The list of FLC ok machine were shared with the representative of the political party who were present at the time of completion of FLC process as mentioned below (attached as annexure 4):

- | | |
|---------------------------|--------------------------|
| 1. Sh. Wazir Singh Poonia | Indian National Congress |
| 2. Sh. Ramesh Chander | Indian National Lok Dal |
| 3. Sh. Nanak Dev | BahujanSamaj Party |
| 4. Sh. Ajay Singh Beniwal | BharatiyaJanata Party |
| 5. Sh. Dinesh Siwach | C.P.I. (m) |
| 6. Sh. TarunGoyal | JannayakJanta Party |

At no point during this process were any objections raised regarding the condition or performance of the EVMs, including the batteries.

d) **Storage after FLC**

After the FLC the storage of EVMs is carried out as per security protocols as outlined by the Election Commission. The EVMs that have passed the FLC, referred to as "FLC OK EVMs," are stored in strong rooms under 24x7 security. At least one section of the State Armed Police Force is deployed to ensure round-the-clock protection of these strong rooms. The entrance points of the strong rooms and corridors are under 24x7 CCTV surveillance equipped with Digital Video Recorders (DVRs) & a logbook is also mentioned by the Security personnel to record the details of all entries and exits. Deputy Commissioner – cum- District Election Officer (DEO), the Superintendent of Police (SP), election observers, and representatives of political parties also make regular inspection of the strong room. This security arrangement remains in place until the randomization of EVMs for election preparations is completed. Political parties are also well-informed about the storage and security arrangements of the "FLC OK EVMs" to ensure transparency and trust.

For district Hisar, the strong rooms for the "FLC OK EVMs" were established at Silver Jubilee Hall, Panchayat Bhawan, Hisar.

2. **Randomization of EVM :**

The FLC ok machine which are stored in the strong room, two times randomization is being done. The randomization of EVM is done on the app which is developed by the IT team of the Election Commission of India.

i) **First Randomization:**

Before the first randomization 10% of the EVM are reserved for training and awareness purpose. In the 1st randomization the EVM's are allotted to the Assembly Constituency from the pool of the FLC ok machine. After that District election officer set out the plan for the first randomization & the intimation of the first randomization is sent to the all

the recognised national and state recognized party at least 48 hours before the first randomization. The first randomization is conduct through EMS.

In the presence of the representative of the political party. The 1st randomization is done by District Election Officer by assembly wise in the EMS on dated 02.09.2024 at 11.00 am on VC hall, 1st floor, Mini Secretariat, Hisar. The intimation to this effect is sent to the national and state party vide letter no. Election-2024/3957 dt. 30-08-2024(attached as annexure 5).

The process of first randomization was witnessed by the representative of political party, and the list of EVM after first randomization is also received by the representative of political party the detail of which are as under(attached as annexure 6 & 7):

1. Sh. Nanak Dev	BahujanSamaj Party
2. Sh. Dinesh Siwach	C.P.I. (m)
3. Sh. Ramesh Chugh	Indian National Lok Dal
4. Sh. Sumit	AamAadami Party
5. Sh. Anil Bishnoi	Indian National Congress
6. Sh. Virender Sharma	BharatiyaJanata Party

The EVM allotted to 51-Barwala Assembly Constituency received on dated 08.09.2024 and stored in the strong room established at Silver Jubilee Hall, West Wing, PanchayatBhawan, Hisar under the proper security & videography. The intimation regarding the opening of the FLC ok strong room and shifting of EVM's after first randomization to the respective assembly constituency was sent to the all the Recognised National and State parties vide letter no. Election-2024/4092 Dt. 07.09.2024(attached as annexure 8) and also intimation to the Returning Officer vide letter no. Election-2024/4091 dt. 07.09.2024 (attached as annexure 9).

Asstt. Returning Officer-cum-TehsildarBarwala appointed as nodal officer to receive the EVM's after the first randomization from the FLC ok strong room and to store the EVM's for 51-Barwala Assembly Constituency in the strong room established for EVM's at Silver Jubilee Hall, West Wing, PanchayatBhawan, Hisar vide letter no. 122/Election dt. 07.09.2024(attached as annexure 10) and in compliance to this the A.R.O. received the EVM's on dated 08.09.2024 and stored the EVM's at the strong room for the 51-Barwala Assembly Constituency established at **Silver Jubilee Hall, West Wing, PanchayatBhawan, Hisar** and then the strong room was sealed. All the political party were intimated to this effect vide letter no. Election-2024/136 dt. 07.09.2024(attached as annexure 11).

ii) **Second Randomization:**

After the finalization of list of contesting candidates, the 2nd randomization is carried out by the Returning Officer on dated 24.09.2024 on VC hall, 1st floor, Mini Secretariat, Hisar through the software developed by the election commission of India and in the presence of General Observer Sh. K.D. Lakhani, I.A.S. appointed by election commission of India & Deputy Commissioner -cum- Distt. Election Officer Hisar. During 2nd randomization the EVM's are allotted to the specific polling station.

For the Second randomization the intimation is sent to the all the contesting candidate vide Asstt. Retraining Officer letter no. Election-2024/355-366 dt. 22-09-2024(attached as annexure 12 &13) through WhatsApp group & email.

3. Commissioning of EVM for conducting the poll and post poll procedure.

- a) EVM Commissioning
- b) Dispersal of polling parties & EVM's
- c) Polling Day and Mock Poll

a) **EVM Commissioning:**

After the withdrawal of nominations, the Returning Officer (RO) prepares the schedule for the commissioning of Electronic Voting Machines and the setting of candidates.

All candidates are informed of the schedule with proper acknowledgment, requesting them to participate in the commissioning process.

Candidates are requested to participate in the mock polling process.

The commissioning of machines for the Assembly Constituency is done in a secured environment in a separate hall with full security coverage and 24x7 CCTV surveillance.

The commissioning process is conducted by Assistant Returning Officers (AROs) and other officials deployed by the RO, with the assistance of the BEL/ECIL technical team, in the presence of the RO, the Commission's Observer, and all candidates present in the hall.

To bring more transparency, separate TV monitors are installed at each Symbol Loading Unit (SLU) to display the symbols being loaded for the candidates and their representatives.

At this stage, the engineers of the manufacturing company check all the components of the machine again, and after showing them to the candidates, they issue certificates to the Returning Officers.

First, the Ballot Unit (BU) is prepared and sealed, then the VVPAT unit is prepared. A new power pack (battery) and a new paper roll are installed. After sealing the VVPAT compartment, the Control Unit (CU) is prepared and the candidates are set in it. A completely new power pack is installed in the CU.

After preparing all three units (BU, CU and VVPAT) and replacing the old battery with a new one, the cables of the CU, BU and VVPAT are connected, and mock polling is conducted to ensure the proper functioning of the EVM and VVPAT.

After completing the entire process, the machine is switched off, and the VVPAT and CU are sealed. The battery sections of the VVPAT and CU are also sealed using thread seals and address tags.

The Returning Officer and the candidates or their representatives/agents sign all the seals of the EVM and VVPAT.

After commissioning, the machines were stored again in the strong room with all protocols specified by the Commission.

The intimation regarding commissioning of EVM were sent to the contesting candidates vide letter no. Election-2024/373 dt. 24.09.2024 to witness the commissioning process(attached as annexure 14).

The strong room was opened on 25.09.2024 at 11.00 a.m. in the presence of Candidate Sh. Anant Ram (JannayakJanta Party) & Sh. Rajiv Khatak (Jan SewakKranti Party), Sh. Sunil Kumar, Election agent of Smt. SanjanaSatroad (Indian National Lok Dal), Sh. Suresh Kumar representative of Baba DarshanGiri (Independent) and other representative present there(Proceeding attached as annexure 15).

EVM commissioning is conducted at Silver Jubilee Hall, West Wing, PanchayatBhawanHisar from dated 25.09.2024 to 28.09.2024 in the presence of candidates or their representatives were present during the commissioning process(attached as annexure 16, 17, 18).

Sl	Name of Candidate	Name of Representative	Political Party
1.	Sh. Anant Ram	Self	JannayatJanta Party
2.	Prof. Chattarpal Singh	Sh. Kuldeep Singh	AamAadmi Party
3.	Sh. RamniwasGhorela	Sh. Sandeep	Indian National Congress
4.	Sh. SanjanaSatroad	Sh. Sunil Kumar	Indian National Lok Dal
5.	Sh. Rajiv Khatak	Self	Jan SewakKranti Party
6.	Sh. Baba DarshanGiri	Sh. Suresh Kumar	Independent
7.			

The process of commissioning is being carried out by the Asstt. Returning Officer and various officials appointed by the Returning Officer and the engineers deputed by the BEL/ECIL and in the presence of the General Observer also. To ensure more transparency the symbol loading in the VVPAT units is also displayed on the screen. The BEL/ECIL engineers also check each and every parts of the EVM and also demonstrate it to the present candidates/their representatives. New power pack installed in the Control Unit and VVPAT Unit during the commissioning process & a new paper roll installed in the VVPAT Units and EVM is sealed as per the procedures laid down by the Election Commission of India. The list of the EVMs which were replaced during commissioning due to technical reason/fault in the presence of the BEL/ECIL engineers shared with the contesting candidate vide letter no.

Election-2024/540 dt. 28.09.2024 and also updated in EMS online software(attached as annexure 19).

After commissioning, the EVMs are stored in secure strong rooms and sealed on dated 28.09.2024 in the presence of Candidate Sh. Anant Ram (JannayakJanta Party) & Sh. Rajiv Khatak (Jan SewakKranti Party), Sh. Sunil Kumar, Election agent of Smt. SanjanaSatroad (Indian National Lok Dal), Sh. Suresh Kumar representative of Baba DarshanGiri (Independent) and other representative present there with 24x7 surveillance, where they remain until they are dispatched to polling stations(Proceeding attached as annexure 20).

Throughout this period, strict security protocols are followed, and representatives of political parties are invited to inspect the seals and security arrangements.

b) Dispersal of polling parties & EVM's

The Commission's instructions also provide that the Returning Officer will inform the candidates in writing about the date and time of opening the strong room during the departure of polling teams.

In the presence of the Returning Officer, the Commission's Observer, and the candidates or their agents, the Presiding Officers of the polling teams thoroughly check that the Ballot Units, Control Units, and VVPATs are duly sealed, and their seals and address tags are intact, and the batteries have been installed.

The candidates witness the departure of the polling parties along with the security personnel.

If the polling parties halt at any intermediate location with the Electronic Voting Machines before or after voting, a suitable government building is designated as the intermediate EVM strong room.

The same Standard Operating Procedure (SOP) is followed for the security, opening, or closing of the intermediate EVM strong room as is applied for the regular strong rooms at the Assembly Constituency headquarters.

The movement of polling teams and vehicles carrying Electronic Voting Machines is monitored through GPS and mobile-based tracking systems at the DEO and CEO levels in the state.

The DEO notifies all candidates and observers with details of the sector officers and the registration numbers and details of all vehicles transporting the Electronic Voting Machines.

The Observer deputed by the Commission to the constituency monitors strict compliance with the instructions issued by the Commission in this regard.

A written intimation was sent to all contesting candidates vide letter no. Election-2024/ 784-792 dt. 03.10.2024 about the opening of strong room, date and venue of the dispersal of polling parties(attached as annexure 21).

The strong room was opened on dated 04.10.2024 at 09.00 am in presence of Returning Officer, Asstt. Returning Officer, in-charge of strong room, Sh. Rajiv Khatak candidate of Jan SewakKranti Party and Sh. Sunil Kumar, Election agent of Smt. SanjanaSatroad, candidate of Indian National Lok Dal(Proceeding attached as annexure 22).

The polling parties was given the final rehearsal and training on dated 04.10.2024 at PanchayatBhawanHisar& polling parties were dispatched with EVM and election material in the deployed buses (provided by District Administration) to their respective polling stations along with the prescribed security cover. The Sector Officers were also deployed for the overall supervision for the polling parties and their respective polling stations. The Zonal Magistrates were also deployed and in the presence of the General Observer.

c) **Polling Day and Mock Poll**

The Commission has laid down a detailed procedure for handling EVMs at polling stations on the day of polling, as well as the protective measures to be undertaken by the Presiding Officer and polling personnel, through its instructions no. 51/8/Inst./2023-EMS, dated 16.10.2023.

Before the commencement of actual polling, a mock poll is conducted by the Presiding Officer in the presence of the polling agents of the candidates, following the procedure outlined in the Commission's instructions no. 51/8/7/2019-EMS, dated 30.09.2019.

During the mock poll, at least 50 votes are cast, ensuring that votes are recorded for each candidate, including NOTA.

After confirming the results of the mock poll, the VVPAT slips are printed, and the mock poll data is deleted, and the Control Unit and VVPAT are duly sealed again. The drop box of the VVPAT is also cleared by the mock poll slips and then mock poll slip stamped on the back side with a rubber stamp "mock poll slip" and then mock poll slips is sealed in a black envelope with the help of pink paper seal, the drop box of VVPAT is also sealed with help of address tag.

The entire mock poll process is shown to the polling agents, and their signatures are taken. They are also allowed to sign on the paper seals and thread seals. The Presiding Officer issues a mock poll certificate with the date and time of the mock poll.

The Presiding Officer also notes the date and time of the commencement of actual polling in the mock poll certificate and the Presiding Officer's diary.

The Commission has issued guidelines to polling personnel for dealing with contingencies during actual polling.

The Sector Officer, along with the engineer from the manufacturing company, is available in the field to assist in such situations.

The Sector Officer is allocated reserve machines, and where necessary, the machines are replaced.

If any machine is replaced, the entire process of mock polling and sealing is repeated on the new machine. The polling agents are allowed to sign the seals.

After the completion of polling, the Presiding Officer presses the 'Close' button on the Control Unit to close the machine. The total number of votes recorded in the EVM is noted in Form 17C, and the date and time of the closing of polling are noted in the Presiding Officer's diary.

The details recorded in Form 17C are shared with the polling agents present at the time of the closing of polling.

The Presiding Officer then disconnects the Ballot Unit, Control Unit, and VVPAT, and places the Ballot Unit and Control Unit in their respective carrying cases.

The Presiding Officer removes the power pack (battery) from the VVPAT and then seals the EVM and VVPAT in the presence of the polling agents at the polling station.

The Presiding Officer signs the address tag and gets it signed by the polling agents.

The sealed Electronic Voting Machines are transported to the collection centre under the security of the armed police force.

Before the start of the actual voting mock poll is conducted at each polling station in the presence of the polling agents, Sector Officers or Micro Observers. During this mock poll, at least 50 votes are casted to verify that the machine is working correctly. The mock poll certificate is also signed by the polling agent present there and concerning Presiding Officer. Once the mock poll results are verified, the result of the Control Unit is cleared by pressing the clear button and after that control unit is sealed by Green Paper Seal, Special Tag and after that by the address tag. This process ensures that the machine is ready for the actual polling process. Throughout polling day, the machine's performance is continuously monitored, and the presence of "Low Battery" warnings would prompt immediate action, such as replacing the battery of Control Unit or the VVPAT as the case may be as per the guidelines issued by the Election Commission of India vide Letter No. 51/8/7/2020-EMS dated 25.08.2020.

4. Storage of polled EVM

a) Post-Poll Storage of EVMs

Separate strong rooms are designated by the Returning Officer in advance for the storage of used EVMs and reserved failed EVMs.

The used Electronic Voting Machines are stored securely under proper videography after informing the candidates and their agents in advance, following the instructions contained in the Commission's letter no. 464/Strong Room/2023-EPS, dated 18.07.2023.

In the strong room for used EVMs, floor space is designated to stack the Electronic Voting Machines for specific polling stations in respective sections/racks.

The Commission has laid down strict protective and security measures for the storage of used Electronic Voting Machines, which include the following:

- i. A single point of entry into the strong room without any windows or alternative doors.
- ii. The strong room, where used EVMs are stored, is secured with a double-lock system. The keys to Lock-1 are with the Returning Officer, while the keys to Lock-2 are with the Assistant Returning Officer.
- iii. A two-tier security arrangement, with the innermost perimeter under CAPF coverage and the outer perimeter under the State Armed Police Force.
- iv. CCTV cameras with DVR and uninterrupted power supply are ensured for the protection and security of the strong room.
- v. A proper logbook is maintained by CAPF for every entry and exit, as well as the duty roster of security personnel. The logbook records the date, time, duration, and name of every individual crossing the inner perimeter, with signatures taken in each case. This includes visits by the Observer, District Election Officer (DEO), Superintendent of Police (SP), candidates, or their agents, or any other individuals.
- vi. No vehicles, including those of any office-bearers or ministers or any other political office-bearers, are allowed to enter the secured premises where Electronic Voting Machines, VVPAT, and election papers are stored.
- vii. Continuous videography of the entrance point is conducted while opening and closing the strong room in the presence of candidates or their representatives.
- viii. Candidates can deploy their representatives outside the inner perimeter to monitor the security arrangements of the strong room.

In **51-Barwala Assembly Constituency**, the polled Electronic Voting Machines were stored in the strong room at **Silver Jubilee Hall, West Wing, Panchayat Bhawan, Hisar** on 06.10.2024 at 00:13 A.M. in the presence of the Observer Sh. K. D. Lakhani, I.A.S., Returning Officer, D.S.P. Barwala, Asstt. Returning Officer, in charge of strong room and candidate/representative of political party/candidate as detail below:

Sr. No.	Name of Candidate	Name of Election Agent/ representative of candidate	Party Affirmation
01.	Sh. Ramniwas Ghorelas	Sh. Sagar	Indian National Congress
02.	Smt. Sanjana Satroad	Sh. Sunil Kumar	Indian National Lok Dal

One of the representative of political party had put his seal on the sealing (Proceeding attached as annexure 23).

Strong room was sealed with double lock system the one key was with the Returning Officer and another key with Asstt. Returning Officer and it was handed over to the CAPF and two tier security as per standard protocol was strictly ensured. The live feed of the CCTV of strong room was also displayed on the Electronic screen placed in the premises in the Silver Jubilee Hall, Panchayat Bhawan Hisar, where round the clock surveillance was maintained by the representative of the political party where they saw the live feed of the CCTV Cameras installed to the strong room. At every stage, including transportation and storage, the security measures are stringent, and political party representatives are invited to observe and verify the seals. The strong rooms are guarded round-the-clock by Central Armed Police Forces (CAPF), and any movement in and out of these rooms is meticulously recorded in logbooks.

5. Scrutiny of Form 17A and Other Documents.

On the designated day for the scrutiny of Form 17A and other documents, the District Election Officer/Returning Officer opens the strong room containing the election forms under videography in the presence of the Observer and the candidates/their election agents/their authorized representatives.

If the relevant accompanying documents for the scrutiny of Form 17A need to be transported, they are transported under appropriate police escort with the Executive Magistrate. Candidates and their representatives are also allowed to follow the vehicle transporting such documents.

Candidates/their election agents or representatives are properly informed about the travel plan.

After the scrutiny of Form 17A and other documents is completed, they are repacked in their respective packets, and the strong room is closed and sealed after making an entry in the logbook and taking the signatures of all the candidates or their representatives present, the Observer, and the Returning Officer.

The entire process of opening and closing the strong room containing Form 17C and other documents is duly videographed.

In **51-Barwala Assembly Constituency**, the scrutiny process was conducted on **06-10-2024** on 11:00 AM at **Silver Jubilee Hall, West Wing, Panchayat Bhawan, Hisar** in the presence of the Observer **Sh. K.D. Lakhani**, **General Observer** and the candidates/representatives of the following political parties (**Attached with Annexure 27**):

Sr. No.	Name of Candidate	Name of Election Agent/ representative of candidate	Party Affirmation
01.	Sh. Ranbir Singh	Sh. Sunil	Bharatiya Janata Party
02.	Sh. Ramniwas Ghorelas	Sh. Sagar	Indian National Congress
03.	Smt. Sanjana Satroad	Sh. Sunil Kumar	Indian National Lok Dal
04.	Sh. Rajiv Khatak	Self	Jan Sewak Kranti Party
05.	Baba Darshan Giri	Sh. Rakesh	Independent

6. Counting of Votes

On the day of counting, the strong room containing polled Electronic Voting Machines are opened under videography in the presence of the candidates/their authorized representatives, the Election Commission Observer, and the RO/ARO.

The preparation for transporting the used Electronic Voting Machines from the strong room to the counting hall is done safely along secured paths. Care is taken to ensure that the movement paths of EVMs from two strong rooms do not overlap. The movement of used Electronic Voting Machines is also videographed.

Only the Control Unit (CU) are brought to the counting hall.

Before switching on the Control Unit, the seals are thoroughly inspected by the counting staff in the presence of the candidates' counting agents.

The votes recorded in the Control Unit are matched with the total number of votes mentioned in Form 17C, which was already shared with the candidates' polling agents at the polling stations.

The start and end date and time of polling recorded on the Control Unit are verified and shown to the polling agents.

The counting agents certify by signing Form 17C that the Control Unit being used was the same one used at that polling station.

After the counting of a particular machine/booth is over, Form 17C Part II filled by the Counting Supervisor is also tallied and duly signed by the Counting Agents of all candidates/political parties present of that particular booth.

The Commission has issued clear instructions to deal with various contingencies arising from procedural lapses by the polling staff or discrepancies in the polling date and time details.

After completing each round of counting, the Returning Officer announces the result of that round. At the end of the last round of vote counting on Electronic Voting Machines, the Returning Officer will conduct a mandatory verification of the VVPAT slips from 5 randomly selected polling stations for each Assembly Constituency.

These 5 Electronic Voting Machines are randomly selected by the RO through the drawing of lots as per the procedure laid down by the Commission in its instructions no. 51/8/VVPAT-Instructions/2019-EMPS, dated 15.04.2019.

The candidates are informed in advance in writing about the draw of lots.

In case of any discrepancy between the votes recorded in the EVM and the VVPAT paper slip count, the VVPAT paper slip prevails as per Rule 56(D)(4)(b) of the Conduct of Elections Rules, 1961.

The entire process of EVM counting and mandatory VVPAT paper slip counting is videographed.

The Observer remains present throughout the counting process from the start until the results are declared.

- a) **Opening of Strong Room for counting.**
- b) **Counting Day**

a) Opening of Strong Room for counting.

The Counting was fixed on dated 08.10.2024 commencing from 08.00 am onwards. The contesting candidates were informed vide letter no. 886-887/2024 dated 07.10.2024 about the date and time of counting and were also requested to present there to witness the opening of strong room for counting purpose (attached with annexure 24).

For counting of votes the strong room was opened on dated 08.10.2024 at 08.10 a.m. in the presence of General Observers, Returning Officer, Asstt. Returning Officer, Strong Room in charge and following candidates/representative of candidates were present (attached Proceeding with annexure 25):

Sl	Name of Candidate	Name of Representative	Political Party
----	-------------------	------------------------	-----------------

1.	Sh. RanbirGangwa	Sh. Rajender Singh	BharatiyaJanata Party
2.	Sh. SanjanaSatroad	Sh. Sunil Kumar	Indian National Lok Dal
3.	Sh. Rajiv Khatak	Self	Jan SewakKranti Party
4.	Sh. Baba DarshanGiri	Self	Independent
5.	Sh. SumitBloda	Self	Independent

b) Counting Day

In 51-Barwala Assembly Constituency, the counting process was completed at Silver Jubilee Hall, West Wing, PanchayatBhawan, Hisar in the presence of the Observer Sh. K.D. Lakhani, Counting Observer and the candidates/their counting/election agents.

The counting process was started at 08.00 am on dated 08.10.2024 a total of 14 tables for EVM counting and 2 tables for postal ballot counting was placed and a total of 13round for EVM counting was planned. Before the machines are used for counting, the seals are inspected, and the candidates and their authorized representative or the counting agent have confirmed their authenticity. During the counting process, the votes recorded on the Control Unit & serial number of Control Unit are tallied with Form 17C to ensure accuracy. However, after each round of counting the counting agent present on the respective tables have put their signature on part II form 17C reflecting their satisfaction regarding the display on CU and counting process. If any case regarding the discrepancy as per the mandated guideline the VVPAT slips are also verified as per the mandated guidelines. After the counting process the control unit was again re-sealed as per instruction issued by Election Commission of India. Written intimation was given to all contesting candidates regarding re-sealing and storage of election material/machines (EVMs/VVPATs) etc. after declaration of result vide letter no. 884/2024 dated 07.10.2024(attached with annexure 26).

From the above, it is evident that political parties and contesting candidates/their agents were involved in various stages of the election process. Each of the Commission's instructions was strictly followed, and candidates/representatives were informed of these processes in a timely manner. The candidate/representative from INC participated in various stages, and the various stages of the election were implemented before them, the details of which are reiterated below:

- I. The schedule for FLC was shared in writing by the District Election Officer of Hisar through letter no. Election-2024/3380 dated 29.07.2024 (Annexure-1), requesting recognized political parties, including the Indian National Congress (INC), to send their representatives to be present during this process. The INC representative Sh. Anil & Sh. Anupal duly acknowledged the receipt of the program.
- II. The FLC of the Electronic Voting Machines was conducted in Hisar from 01.08.2024 till 20.08.2024 at Silver Jubilee Hall, PanchayatBhawanHisar and during the process, 6 representatives were present on different dates from 01.08.2024 till 20.08.2024(Annexure-2, 3, 4).
- III. The schedule for the first randomization of the Electronic Voting Machines was shared in writing by the District Election Officer, Hisar through letter no. Election-

2024/3957 dated 30.08.2024 (**Annexure-5, 6**), requesting all recognized political parties, including the Indian National Congress (INC), to send their representatives to be present during the first randomization process. The INC representative Sh. Anil Bishnoi duly acknowledged the receipt of the program. The list post-randomisation was given to the representatives of political parties and receiving has been taken (**Annexure-7, 8, 9, 10, 11**).

- IV. The INC representative Sh. Anil Bishnoi was present during the first randomization process. This process was completed to the satisfaction of all political representatives, and no objection or issue was raised by any party, including the INC.
- V. The schedule for the second randomization of Electronic Voting Machines for the **51-Barwala Assembly Constituency** was shared in writing by me, as the Returning Officer, through letter no. Election-2024/355-363 dated 22.09.2024 (**Annexure 12, 13**), requesting all contesting candidates, including the INC candidate Sh. RamniwasGhorela.
- VI. Again, regarding **51-Barwala Assembly Constituency**, the commissioning of Electronic Voting Machines was conducted from 25.09.2024 to 28.09.2024 onwards at **Silver Jubilee Hall, West Wing, PanchayatBhawan, Hisar**. The schedule for this was shared in writing by me through letter no. Election-2024/373-375 Dated 24.09.2024 (**Annexure-14**) requesting all candidates, including the INC, to inspect the process and participate in the mock polling. Schedule was duly acknowledged by candidate/representative (**Proceeding of opening of strong room annexure-15**).
- VII. You/your representative **Sh. Sandeep** was present during the commissioning process. No issue was raised by you/your representative during the commissioning. This process was completed to the satisfaction of all candidates/their representatives in my presence. After the commissioning process was completed, the Electronic Voting Machines were sealed with my signature and your signature/your representative's signature(**Annexure 16, 17, 18, 19, 20**).
- VIII. Additionally, through my letter no. Election-2024/784-794 dated 03.10.2024 (**Annexure 21**), you were informed in writing about the schedule for opening the strong room on the day of dispersal of the Electronic Voting Machines and polling parties (04.10.2024). You/your representative have duly acknowledged of the letter (**Proceeding for opening of strong room for dispersal of polling party dt. 04.10.2024 attached with Annexure 22**).
- IX. All the seals on the Ballot Units (BU) and Control Units (CU) were intact, and at that time, no issue or concern was raised by you/your representative regarding the safety and security of the Electronic Voting Machines.
- X. On polling day, a mock poll was conducted in the presence of your representatives at all polling stations of the **51-Barwala Assembly Constituency** before

the actual polling commenced. Your polling agents also signed the mock poll certificate, and no issue was raised by your polling agents regarding the mock poll process or the functioning of the Electronic Voting Machines.

- XI. The actual polling process was conducted smoothly, and no objections were raised by your polling agents at any polling station during the polling process.
- XII. After the actual polling was completed, the Electronic Voting Machines were sealed by the respective Presiding Officers in the presence of your polling agents, and at that time as well, no complaint or issue was received from you/your representatives regarding the polling process and the functioning of the EVMs.
- XIII. The polled Electronic Voting Machines were deposited at the designated locations by the polling parties, and you were informed well in advance about this. According to the log register of the strong room, the polled Electronic Voting Machines were stored in the strong room in at Silver Jubilee Hall, West Wing, Panchayat Bhawan, Hisar on 06.10.2024 at 00:13 A.M. in the presence of the General Observer Sh. K. D. Lakhani, I.A.S., Returning Officer, D.S.P. Barwala, Asstt. Returning Officer, in charge of strong room and your presence/in the presence of your representative Sh. Sager (**Annexure 23**), and the strong room was sealed in their presence. At that time, no complaint or issue was raised by you/your representative.
- XIV. From the date the strong room was sealed on 06.10.2024 until the date of counting on 08.10.2024, the used Electronic Voting Machines remained in the strong room, which was under the security of the Central Armed Police Force (CAPF) and the State Police. Strict protocols were followed for the movement of authorized personnel, neither you nor your representatives raised any issue or complaint with me or any ARO during this period.
- XV. The schedule of opening of strong room for the counting of votes for the **51-Barwala Assembly Constituency** was shared in writing by me, as the Returning Officer, through letter no. Election-2024/886-887 dated 07.10.2024 (**Annexure 24**) on the designated day of counting, the strong room containing the used Electronic Voting Machines was opened on 08.10.2024 at 08.10 A.M. You/your representative and the Counting Observer Sh. K.D. Lakhani, I.A.S. were also present during the opening of the strong room (**Annexure 25**). The log register was signed, and the entire process was video graphed. At that time as well, no concerns were raised by you/your representative regarding the safety and security of the used Electronic Voting Machines in the strong room. Resealing and storage of EVMs, VVPAT's and other election material after declaration of result was made and information was sent to every contesting candidate. (**Annexure 26**)
- XVI. Furthermore, the counting agents nominated by you were present in the counting hall throughout the entire counting process until its completion. The "Post-Counting Scrutiny" was also conducted in the presence of candidate/representative of

candidate and the General Observer Sh. K.D. Lakhani, I.A.S. No objections were raised by your candidate/representative during this process.

XVII. Apart from these opportunities, I have also held meetings with representatives of all political parties, including the Indian National Congress, from time to time and shared appropriate information with them.

XVIII. Furthermore, the list of all randomized Electronic Voting Machines was shared by the DEO with all recognized national and state political parties at both the national and state levels during the First Level Check. At each stage, you or your representative were present during the movement of Electronic Voting Machines from the strong room.

Moreover, following the order of the Honourable Supreme Court of India in Writ Petition (Civil) No. 434 of 2023, dated 26.04.2024, the Election Commission of India has prescribed administrative Standard Operating Procedures (SOPs) for the extraction of units for examination, protocol, and safeguards for the post-counting scrutiny and verification of the burnt memory/microcontroller of EVM units (Ballot Unit, Control Unit, and VVPAT) in its instructions no. 51/8/Instructions/2024-EMS, dated 01.06.2024. As per the time frame provided in paragraph 3(c) of those instructions, eligible candidates may submit a written request to the DEO within seven (7) days of the declaration of results. No such request from the INC candidate contesting from **51-Barwala Assembly Constituency** was received up to 14.10.2024 which conclude seven-day period.

REMARKS ON THE CONCERNS RAISED REGARDING BATTERY DISPLAY IN CONTROL UNIT AND COUNTING PROCESS.

As per the consultations held with the various officials involved in the electoral process, the batteries used in EVMs are high-quality alkaline batteries with an initial voltage range of approximately 7.4 to 8.0 volts. During the commissioning process, when a new battery is installed then control unit is capable of polling of up to 2000 votes, even when four Ballot Units (BUs) are connected whenever required. When the voltage exceeds 7.4 volts then the Control Unit display battery capacity of 99% during the initials stage of use however when voltage drops below 7.4 volts then actual capacity displayed is below 98%. With the passage of time as the battery is used this percentage decreases. Control Unit continues to operate efficiently as long as the voltage remains above 5.8 volts.

An important point to highlight and to understand is that the percentage displayed on the control unit is directly related to the battery's initial voltage, the number of mock polls conducted, the vote polled during the actual polling, and the prevalent conditions at each polling station. Therefore, slight variations in the battery status across different EVMs are normal and do not indicate any malfunction or tampering.

The specific concern regarding the display of battery level in Control Unit showing 90% and in some rare cases 99% on the day of counting is misplaced. As explained above in the preceding paragraph the initial voltage of a new battery can result in a display of 99% even after substantial use. The high efficiency of the batteries used in EVMs ensures that they remain functional for extended periods, even when used throughout the day for both mock polling and actual polling. Therefore, it is entirely plausible for the battery to still display a high percentage on the day of counting.

The entire counting process which was carried out in the presence of Returning Officer, Counting Observer, Assistant Returning Officer, Candidates/Election Agents and Counting Agents but no written or verbal complaints were received from any candidate/representative/election agent/counting agent. However, after each round of counting the counting agent present on the respective tables have put their signature on part II form 17C reflecting their satisfaction regarding the display on CU and counting process and no objection were raised during the counting on the table in every respective round and no complaint was raised either verbal or written to any of the officer present there.

At no point was there any indication of malfunction or tampering with the EVMs. The entire process of the conductance of election was done in a free, fair and transparent manner and the integrity of electoral process and the Electronic Voting Machine was maintained throughout the election process and all the protocol instruction and guidelines mandated by the Election Commission of India are strictly adhered with.

It is reiterated that Electronic Voting Machines are stored under strict protocol and are under continuous security cover by the Central Armed Police Force (CAPF), police, etc. You/your authorized agent, along with representatives of other political parties, were involved in every stage of EVM handling, from the sealing the battery section to storing the EVMs back in the strong room, taking them out on the date of polling day, conducting polling, pressing the 'Close' button at the end of polling, sharing voting details with polling agents during the day, sealing the EVMs after polling, transporting them to the strong room, sealing the strong room, opening it on counting day, bringing the EVMs to the counting hall, verifying the seals before counting, matching the votes recorded in Form 17C with the votes cast on the EVM during each round of counting, announcing round-wise results, and conducting the entire process transparently.

Also, Form 17C was shared with the polling agents, and the votes recorded on the EVMs were tallied with it during counting. At no point during this process were any objections received.

In addition, Sh. K.D. Lakhnai, IAS, was appointed as the General Observer as well as counting observer, Sh. Shiyas A, IPS 2008 (P-35123) as the Police Observer, and Sh. Vijay Mangla, IRS, as the Expenditure Observer in my Assembly Constituency 51-Barwala Assembly Constituency. The contact numbers of all these officials were shared with all candidates. All processes were carried out under the supervision of the Observers. At no point did your candidates/agents raise any objections with the Observers.

As the Returning Officer of 51-Barwala Assembly Constituency, the relevant instructions of the Commission were thoroughly studied. As per the Commission's guidelines, political parties and candidates were regularly communicated and provided with written information on each stage, with proper acknowledgments. Whenever an issue was raised by candidates or their representatives, Returning Officer/Assistant Returning Officer immediately resolved it following the existing provisions and the Commission's instructions. Upon factual investigation of all the points raised in your complaint, it has been found that all your allegations are baseless and without merit. It is reiterated here that – from the First Level Check (FLC), the first randomization, the second randomization, the commissioning of EVMs five to seven days before the election, signing of the address tag after inserting the battery, storing the machines in the strong room, distributing the commissioned Electronic Voting Machines from the distribution centre to the polling parties, reaching the polling stations with the polling parties, conducting mock polling before the actual polling, voting throughout the day, pressing the 'Close' button after polling, providing details of the votes cast to the polling agent during polling, sealing the EVMs after polling and signing the seals by the polling agents, transporting the EVMs to the strong room and storing them in the strong room, sealing the strong room, opening the strong room on the day of counting, bringing the EVMs to the counting hall, verifying the seals on the EVMs before counting, matching the votes recorded on Form 17C with the EVM votes during each round of counting, announcing the round-wise results – you or your appointed representatives have been continuously present at all these stages. In addition, all these processes were continuously monitored by the Central Observers, Sector Officers, and were covered under videography/CCTV coverage/log books/entries in registers. Therefore, tampering, manipulation, or alteration of Electronic Voting Machines is entirely impossible.

The allegation that the battery displays of 90% and some cases 99% on counting day is indicative of tampering is unsubstantiated and the allegation levelled by you in your complaint are hereby denied as allegation are baseless & uncorroborated and seems to be speculative and just an afterthought. The EVMs used in this election are designed to operate with high battery efficiency, and the variations in battery levels are entirely consistent with the normal functioning of the machines.


It is reiterated that even on the next day of polling at the time of scrutiny of election papers and there after sealing of strong room, you or your representative was present during the entire process. The entire process was conducted under videography and in the presence of General Observer also. This testifies the fairness of the process and leaves no scope for tinkering with the established process and cannot be tampered by any one. Thereafter your apprehensions are unsubstantiated and bereft of evidences.

Hope this clarifies all the concerns.

List of Annexure:

1. FLC of EVMs & Opening of the warehouse.
2. Mock poll selection certificate during FLC of EVMs (Annexure 7).
3. Mock Poll by representatives of National and State recognised Political parties during FLC of EVM's.


4. Receipt of list of FLC Ok EVM's & VVPAT's.
5. Letter regarding 1st Randomization of EVM's/VVPAT's.
6. Attendance of Political Party and their representative during 1st Randomization.
7. Receiving of List of 1st Randomized EVM's & VVPATs by political party and their representative.
8. Shifting of EVM's & VVPAT's FLC Ok strong room to Assembly wise Strong room reg. from DEO to Political Parties.
9. 1st. Randomization of EVM/VVPATs reg.
10. Shifting of EVM's & VVPAT's FLC Ok strong room to Assembly wise Strong room reg. from RO to Political Parties.
11. Letter regarding receiving of EVM's/VVPATs after 1st Randomization from FLC Ok Strong Room to the Strong Room 51-Barwala A.C.
12. Letter regarding 2nd randomization from DEO to RO.
13. Letter regarding 2nd randomization from RO to Contesting candidates.
14. Letter regarding EVM Commissioning to Contesting Candidates.
15. Proceeding regarding opening of strong room on dt. 25.09.2024.
16. Register of preparation of EVM's Annexure 19.
17. Mock Poll certification during preparation of EVM's Annexure 22.
18. Certification of EVM's by BEL/ECIL Part I & II Annexure 20.
19. Letter regarding sealing of strong room and information regarding replacement of EVM's/VVPAT's during commissioning.
20. Proceeding for Sealing of Strong room after commissioning dated 28.09.2024.
21. Letter regarding opening of strong room for dispersal of the polling parties with EVM's/VVPAT's and election material.
22. Proceeding of opening of strong room dt. 04.10.2024
23. Proceeding regarding sealing of strong room after storing polled EVM's/VVPAT's on dated 06.10.2024.
24. Notice regarding opening of Strong Room on day of counting.
25. Proceeding regarding opening of Strong Room for counting on dated 08.10.2024.
26. Notice regarding re-sealing and storage of election material/ machines (EVM's/VVPAT's) etc. after declaration of result.
27. Proceeding regarding scrutiny of document after poll.


VedParkash, H.C.S.
Returning Officer,
51-Barwala Assembly Constituency-cum-
Sub Divisional Officer (C) Barwala

Memo No. 921-922 dated: 23.10.2024

A copy is being forwarded to following for kind information:

1. Chief Election Officer, Haryana, Chandigarh.
2. Deputy Commissioner-cum-District Election Officer, Hisar.


VedParkash, H.C.S.
Returning Officer,
51-Barwala Assembly Constituency-cum-
Sub Divisional Officer (C) Barwala



DISTRICT ELECTION OFFICE, HISAR
जिला निर्वाचन कार्यालय, हिसार।


सेवा में

सभी मान्यता प्राप्त राष्ट्रीय दल/राज्य दल (हरियाणा),
प्रधान/सचिव, हिसार।

यादि क्रमांक निर्वाचन-2024/3380 दिनांक 29/07/2024

विषय:- EVMs नशिनों की FLC व वेयर हाउस खोलने- बारे।

उपरोक्त विषय पर आपको अवगत कराया जाता है कि मुख्य निर्वाचन अधिकारी, हरियाणा, चण्डीगढ़ के निर्देशानुसार आगामी हरियाणा विधानसभा आम चुनाव 2024 के लिए EVMs(BU+CU+VVPATs) की FLC का कार्य BEL Engineer द्वारा दिनांक 01-08-2024 से 20-08-2024 तक Silver Jubilee Hall, Panchayat Bhawan, Hisar में किया जाना है। अतः आपसे अनुरोध है कि दिनांक 01-08-2024 से 20-08-2024 तक वेयर हाउस खोलते समय व FLC के दौरान स्वयं या अपने प्रतिनिधि लघु-सचिवालय व Silver Jubilee Hall, Panchayat Bhawan, Hisar में उपस्थित होने का कष्ट करें। यह आपको सूचनार्थ प्रेषित है।

कृते: 
उपायुक्त एवं
जिला निर्वाचन अधिकारी,
हिसार।

ANNEXURE-7

(Mock Poll Selection Certificate during FLC of EVMs)





Name of State/UT: HARYANA

Date: 16/08/2024

Name of District: HISAR

Address of FLC Hall: SILVER JOBLEE HILL MAHAVIR STADIUM HISAR.

It is certified that I have been allowed to pick machines (EVMs as well as VVPATs) randomly for the purpose of mock-poll.

Sl. No.	Name of National/State Party	Name of representative of political party with party affiliation	Identity document No. with date	Signature of representative	Remarks, if any.
	INLD	SH. RAMESH CHUGH	80708416 0027		
	AAP	SH. SITA RAM			
	INC	SH. ANIL			
	INC	SH. ANUPAL			



ANNEXURE-8

3

(Mock Poll by Representatives of National and State Recognised Political Parties during FLC of EVMs)

Date: 14/08/2024

Name of State/UT: HARYANA

Name of District: HISAR

Address of FLC Hall: SILVER JUBILEE HALL, MAHIVIR STADIUM HISAR

It is certified that I have done mock poll on.....EVMs along with VVPATs and I am fully satisfied with the functioning of EVMs and VVPATs.

S. No.	Name of National/State Party	Name of representative of political party with party affiliation	Identity document No. with date	Signature of representative	Remarks, if any.
	INLD	SH. RAMESH CH497	80706416 0027		04 Evm
	BSP	SH. SITA KUMAR			05 Evm
	INC	SH. ANIL			04 Evm
	INC	SH. ANUPAL			07 Evm

Haryana Legislative Assembly Election 2024
 FLC OK - संसदीय / संसदीय की सूची प्राप्त की

Sl NO	Name of Candidate/Representative	Name of Party/Independent	Mobile No.	E-mail	Signature
1	गुरपत सिंह	INC	9416930425		
2	रमेश सिंह	INLD	9315824768		
3	Harshdeep	BSPD	9922714925		
4	ASAT SINGH RAVI	P.S.P.	9468308380	asatberwal@gmail.com	
5	Ramesh Singh	C.P.I(M)	9815444283	rameshsingh@gmail.com	
6	Taran Goyal	J.T.P	9876326595		

dy



DISTRICT ELECTION OFFICE, HISAR 5
जिला निर्वाचन कार्यालय, हिसार।

पत्र क्रमांक निर्वाचन-2024/ 3957 दिनांक : 30/08/24

सेवा में

सभी मान्यता प्राप्त राष्ट्रीय एवं
राज्य राजनैतिक दलों के प्रधान/सचिव, हिसार

विषय :- **Haryana Vidhan Sabha General Election 2024- 1st Randomization
of EVM/VVPATs.**

उपरोक्त विषय पर हरियाणा विधानसभा आम चुनाव 2024 के लिए जिला हिसार
के सभी रात विधानसभा निर्वाचन क्षेत्रों लिए EVMs/VVPATs का 1st Randomization दिनांक
02-09-2024 को उपायुक्त एवं जिला निर्वाचन अधिकारी, हिसार महोदय की अध्यक्षता में प्रातः
11:00 बजे वि.सी. हॉल, प्रथम तल लघु-सचिवालय, हिसार में किया जा रहा है। इस दौरान
आपकी उपस्थिति आवश्यक है।

अतः आपसे अनुरोध है कि दिनांक 02-09-2024 को प्रातः 11:00 बजे वि.सी.
हॉल, प्रथम तल लघु-सचिवालय, हिसार में स्वयं या प्रतिनिधि द्वारा उपस्थित होने का कष्ट
करें।

30/08/2024
कृते: उपायुक्त एवं
जिला निर्वाचन अधिकारी,
हिसार

प्रति:-

1. पी.ए टू उपायुक्त, हिसार ।
2. स्टैनो टू नगराधीश, हिसार ।

Haryana Vidhan Sabha General Election - 2024, 1st Randomization of EVMs & VVPATs, Dated 02-09-2024, Time: 11:00 - Receiving of Notice






Issued on 30-08-2024.

Sr. No	Name of Political Party	Name of Representative	Mobile No.	Signature
1	B. S. P	Narinder Singh Dhillon	999274995	FD
2	C.P.I (m)	Bhush Singh	98054-44585	DM
3	INLD	Ramesh Chugh	93158-24768	g
4	AAP	Sunjit	9991000557	S
5	J.N.C	ANIL BISHNOI	9053452929	CAF
6.	B. J. P	Virender Sharma	9813150119	Aggarwal

(Handwritten mark)

1

I as a representative of political party received list of 1st Randomized EV/MPV/PATs of District Hisar 7 Assembly Constituencies -
Dated 02-09-2024

Sr. No	Name of Political Party	Name of Representative	Mobile No.	Signature
1	B. S. P	Namrata Devi Jindal	9929714995	
2.	CPI (M)	Divya Sirohi	9813444233	
3.	INLD	Renuka Chugh	9315884760	
4	AAP	Sunita	9771000557	
5.	I.N.C	ANIL BISHNOI	9053452989	
6.	B.J.P	Virender Sharma	9813150119	





DISTRICT ELECTION OFFICE, HISAR
जिला निर्वाचन कार्यालय, हिसार।

8

सेवा में

पत्र क्रमांक निर्वाचन-2024/4092 दिनांक : 07/09/2024

सभी मान्यता प्राप्त राष्ट्रीय एवं
राज्य राजनैतिक दलों के प्रधान/सचिव, हिसार

विषय :-

**Haryana Legislative Assembly Election- Shifting of EVMs/VVPATs
FLC Ok Strong room to Assembly Wise Strong room reg.**

उपरोक्त विषय पर हरियाणा विधानसभा आम चुनाव को शान्ति व सूचारु रूप से सम्पन्न करवाने के लिए EVMs/VVPATs की प्रथम रैण्डेमाईजेशन उपायुक्त महोदय की अध्यक्षता में दिनांक 02-09-2024 को करवाई जा चुकी है। अब दिनांक 08-09-2024 को जिला हिसार के सभी सातों विधानसभा निर्वाचन क्षेत्रों के रिटर्निंग अधिकारियों को ई.वी.एम तथा वी.वी.पैटज मशीने बांटी जानी है ताकि मशीने को एफ.एल.सी ऑ.के स्ट्रॉंग रूम से विधानसभावार बनाए गए स्ट्रॉंग रूम में शिफ्ट किया जा सके। जिसके लिए FLC Ok Strong room, Silver Jubili Hall, Panchayat Bhawan Hisar को खोला जाएगा। जिस दौरान आपको उपस्थिति आवश्यक है।

अतः आपसे अनुरोध है कि दिनांक 08-09-2024 को प्रातः 08:00 बजे FLC Ok Strong room, Silver Jubili Hall, Panchayat Bhawan Hisar में समय स्वयं या प्रतिनिधि द्वारा उपस्थित होने का कष्ट करें।

कृते: उपायुक्त एवं
जिला निर्वाचन अधिकारी,
हिसार।
07/09/2024

प्रति:-

3. पी.ए टू उपायुक्त, हिसार।
4. स्टैनो टू नगराधीश, हिसार।



DISTRICT ELECTION OFFICE, HISAR
जिला निर्वाचन कार्यालय, हिसार।

9

सेवा में

पत्र क्रमांक निर्वाचन-2024/409)

दिनांक : 07/09/2024

सभी रिटर्निंग अधिकारी,
हिसार।


विषय :-

Haryana Legislative Assembly Election 2024, 1st Randomization of EVM/VVPATs reg.

उपरोक्त विषय पर आपको अवगत कराया जाता है कि हरियाणा विधानसभा आम चुनाव 2024 में सभी विधानसभा क्षेत्रों को प्रदान की जाने वाली EVMs/VVPATs का 1st Randomization दिनांक 02-09-2024 को उपायुक्त एवं जिला निर्वाचन अधिकारी, हिसार महोदय की अध्यक्षता में किया जा चुका है। 1st Randomization के बाद सभी मशीनें FLC Strong Room से विधानसभा क्षेत्रवार बनाए गए स्ट्रॉंग रूम में दिनांक 08-09-2024 को शिफ्ट की जाएंगी। अतः आपसे अनुरोध है की FLC Strong Room सिल्वर जुबली हॉल, पंचायत भवन हिसार से विधानसभा क्षेत्रवार बनाए गए स्ट्रॉंग रूम में मशीनें शिफ्ट करवाने हेतु निम्नानुसार कार्यवाही करने का कष्ट करें:-

1. आपके विधानसभा निर्वाचन क्षेत्र से सम्बन्धित ई.वी.एम मशीनें प्राप्त करने के लिए नोडल अधिकारी (Class-B) नियुक्त करने का कष्ट करें।
2. मशीनें स्कैनिंग करवाने के लिए चार-चार ऑपरेटर (जिनके पास एन्ड्रॉएड मोबाईल फोन हों) की नियुक्ति करते हुए उन्हें दिनांक 08-09-2024 को प्रातः 09:00 बजे एफ.एल.सी स्ट्रॉंग रूम सिल्वर जुबली हॉल, पंचायत भवन हिसार में पहुंचने के लिए निर्देशित करें। इसके अतिरिक्त ट्रेनिंग प्राप्त करने हेतु आज दिनांक 07-09-2024 को सांय 03:00 बजे श्री होशियार सिंह, जूनियर प्रोग्रामर के पास जिला निर्वाचन कार्यालय हिसार में भेजन का कष्ट करें।
3. मशीनों की लोडिंग- अनलोडिंग के लिए पर्याप्त मात्रा में चतुर्थ श्रेणी कर्मचारियों की नियुक्ति करने का कष्ट करें।

यह आपको सूचनार्थ एवं आगामी आवश्यक कार्यवाही हेतु प्रेषित है।

कृते. 
उपायुक्त एवं
जिला निर्वाचन अधिकारी,
हिसार।

प्रति:-

1. पी.ए. टू उपायुक्त, हिसार।
2. स्टैनों टू नगराधीश, हिसार।

रिटर्निंग अधिकारी

51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
उप मण्डल अधिकारी (ना0), बरवाला

प्रेषित

तहसीलदार (नोडल अधिकारी, ई.वी.एम.)
बरवाला।

क्रमांक 122/ चुनाव

दिनांक : 07.09.2024

विषय: 51-बरवाला विधानसभा आम चुनाव-2024 में ई.वी.एम. मशीन
वेयरहाउस से प्राप्त करके स्ट्रांग रूम में रखने बारे।

उपरोक्त विषय बारे आपको लिखा जाता है कि 51-बरवाला विधानसभा क्षेत्र के
लिए दिनांक 08.09.2024 को प्राप्त 09:00 बजे पंचायत भवन, हिसार में ई.वी.एम. मशीन
वितरित की जाएगी। आप ई.वी.एम. मशीनों के लिए नोडल अधिकारी नियुक्त किए गए हैं।
अतः आप दिनांक 08.09.2024 को प्रातः 09:00 पंचायत भवन, हिसार से ई.वी.एम. मशीनों को
वेयरहाउस से प्राप्त करके स्ट्रांग रूम में रखवाना सुनिश्चित करें। उक्त कार्य के लिए आपके
साथ निम्नलिखित कर्मचारियों की ड्यूटी तुरन्त प्रभाव से लगाई जाती है:-

1	श्री रण सिंह	उपमण्डल अधिकारी	उपमण्डल अधिकारी P.W.D. B&R बरवाला	8022906000
2	श्री औमप्रकाश	सनाज शिक्षा एवं पंचायत अधिकारी	ख. विकास एवं पंचायत अधिकारी बरवाला	7015488115
3	श्री राजवीर	ग्राम सचिव	ख. विकास एवं पंचायत अधिकारी बरवाला	9812383493
4	श्री सुशील कुमार	ग्राम सचिव	ख. विकास एवं पंचायत अधिकारी बरवाला	9991800302
5	श्री प्रमोद कुमार	ग्राम सचिव	ख. विकास एवं पंचायत अधिकारी बरवाला	9467607077
6	श्री राजपाल	ग्राम सचिव	ख. विकास एवं पंचायत अधिकारी बरवाला	9053395626
7	श्री सुनील कुमार	डाटा एन्ट्री ऑपरेटर	उप मण्डल अधिकारी (ना.) बरवाला	9416602379
8	श्री प्रवीण	डाटा एन्ट्री ऑपरेटर	उप मण्डल अधिकारी (ना.) बरवाला	9991479222
9	श्री सुरेन्द्र	डाटा एन्ट्री ऑपरेटर	तहसील बरवाला	9034865718
10	श्री विशराम	कम्प्युटर टीचर	G.S.S.S. बालक	9467096916
11	श्री गुलशन	संवादा	नगरपालिका बरवाला	8571056907
12	श्री सुरेन्द्र कुमार	संवादा	नगरपालिका बरवाला	9718262930
13	श्री मनीष कुमार	संवादा	नगरपालिका बरवाला	9306557155
14	श्री योगेश	संवादा	नगरपालिका बरवाला	8059399036
15	श्री राहुल	संवादा	नगरपालिका बरवाला	9671596712

16	श्री पंकज	सेवादार	नगरपालिका बरवाला	8199075368
17	श्री अमरदोप सेणो	सेवादार	नगरपालिका बरवाला	9068734341
18	श्री सन्दीप जांगडा	सेवादार	नगरपालिका बरवाला	7777010009
19	श्री राजेश	सेवादार	नगरपालिका बरवाला	9306863018
20	श्री सानू	सेवादार	नगर पालिका बरवाला	9812347443

रिटर्निंग अधिकारी
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
उप मण्डल अधिकारी (ना0), बरवाला

पृ0क्रमांक 123-127

दिनांक: 07.09.2024

इसकी एकं प्रति निम्नलिखित को भेजकर लिखा जाता है कि अपने अधीनस्थ उपरोक्त अधिकारी/कर्मचारियों को दिनांक 08.09.2024 को प्रातः 09:00 बजे पंचायत भवन, हिरार में पहुंचने बारे घाबन्द करे।

1. उपमण्डल अधिकारी P.W.D. B&R बरवाला।
2. खण्ड विकास एवं पंचायत अधिकारी बरवाला।
3. तहसीलदार, बरवाला।
4. खण्ड शिक्षा अधिकारी, बरवाला।
5. सचिव, नगरपालिका बरवाला।

रिटर्निंग अधिकारी
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
उप मण्डल अधिकारी (ना0), बरवाला

प्रेषक

रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
उपमण्डल अधिकारी (ना.), बरवाला।

सेवा में

सभी मान्यता प्राप्त राष्ट्रीय एवं
राज्य राजनैतिक दलों के प्रधान/सचिव,
51-बरवाला विधानसभा निर्वाचन क्षेत्र।

यादि क्रमांक निर्वाचन-2024/136

दिनांक : 07.09.2024

विषय

**Haryana Legislative Assembly Election-Shifting of EVMs/VVPATs from
FLC ok strong room to Assembly wise strong room reg.**

उपरोक्त विषय बारे उपायुक्त एवं जिला निर्वाचन अधिकारी हिसार के कार्यालय के पत्र क्रमांक निर्वाचन-2024/9091 दिनांक 07.09.2024 के सन्दर्भ में आपको लिखा जाता है कि हरियाणा विधानसभा आम चुनाव 2024 के तहत EVM's & VVPAT's FLC ok strong room से 51-बरवाला विधानसभा निर्वाचन क्षेत्र हेतु तैयार करवाए गए स्ट्रांग रूम, सित्वर जुबली हाल, पश्चिमी कक्ष, पंचायत भवन, हिसार में शिफ्ट की जानी है व उसके उपरान्त स्ट्रांग रूम को सील किया जाना है।

अतः आपसे अनुरोध है कि आप उक्त प्रक्रिया के दौरान दिनांक 08.09.2024 को प्रातः 08.00 बजे उक्त कार्य हेतु उपस्थित होने का कष्ट करें।

रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
उपमण्डल अधिकारी (ना.), बरवाला।

dr

विधानसभा आम चुनाव 2024 / तत्काल / तिथिबद्ध

प्रेषक

सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार, बरवाला।

सेवा में

1. श्री अनन्त राम, अभ्यर्थी जननायक जनता पार्टी।
 2. श्री छतर पाल सिंह, अभ्यर्थी, आम आदमी पार्टी।
 3. श्री रणवीर सिंह, अभ्यर्थी, भारतीय जनता पार्टी।
 4. श्री रामनिवास घोड़ेला, अभ्यर्थी, इण्डियन नेशनल कॉंग्रेस।
 5. श्रीमति सज्जना गहलोत, अभ्यर्थी, इण्डियन नेशनल लोकदल।
 6. श्री राजीव कुमार, अभ्यर्थी, जन सेवक कांति पार्टी।
 7. श्री दर्शन कुमार, अभ्यर्थी, निर्दलीय।
 8. श्रीमति रेनू वलजीत सिंह, अभ्यर्थी, निर्दलीय।
 9. श्री सुमित, अभ्यर्थी, निर्दलीय।
- 51-बरवाला विधानसभा निर्वाचन क्षेत्र।

यादि क्रमांक निर्वाचन-2024/355-362 दिनांक : 22.09.2024

विषय

Legislative Assembly Election 2024- Second Randomization of EVM/VVPATs regarding.

उपरोक्त विषय बारे आपको लिखा जाता है कि विधानसभा निर्वाचन क्षेत्र के लिए EVM/VVPATs का Second Randomization दिनांक 24.09.2024 को माननीय सामान्य पर्यवेक्षक, जिला हिसार तथा उपायुक्त एवं जिला निर्वाचन अधिकारी, हिसार महोदय की उपस्थिति में प्रातः 11:00 बजे जिला सभागार, प्रथम तल लघु-सचिवालय, हिसार में किया जा रहा है।

अतः आम और आपके चुनाव प्रतिनिधि दिनांक 24.09.2024 को प्रातः 11:00 बजे जिला सभागार, प्रथम तल लघु-सचिवालय, हिसार में Second Randomization के लिए उपस्थित होना सुनिश्चित करें।

सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार, बरवाला।

पृ०क्रमांक निर्वाचन -2024 / 364 - 366

दिनांक : 22.09.2024

उपरोक्त की एक-एक प्रति निम्नलिखित की सेवा में सूचनार्थ सादर प्रेषित है -

1. माननीय सामान्य पर्यवेक्षक, 51-बरवाला विधानसभा निर्वाचन क्षेत्र।
2. उपायुक्त एवं जिला निर्वाचन अधिकारी हिसार कार्यालय को उनके कार्यालय के पत्र क्रमांक निर्वाचन-2024/4355 दिनांक 22.09.2024 की अनुपालना में।
3. इसकी एक प्रति जूनियर प्रोग्रामर/कम्प्यूटर ऑपरेटर, ई.एम.एस. सॉफ्टवेयर ऑपरेट को भेजकर आदेश दिए जाते हैं कि आप भी पत्र में दिए गए समय, स्थान व तिथि को Second Randomization के लिए उपस्थित होना सुनिश्चित करें।

सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार, बरवाला।

विधानसभा आम चुनाव 2024 / तारकास / विधिवत्

प्रश्न

सहायक रिटर्निंग अधिकारी
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
सहस्रीतवार बरवाला।

जवाब में

समाप्त उम्मीदवार
51-बरवाला विधानसभा निर्वाचन क्षेत्र।

क्रमांक : निर्वाचन-2024 / 373

दिनांक : 24.09.2024

विषय: हरियाणा विधानसभा चुनाव 2024 हेतु ई. वी. एम. तैयार करने बारे।

उपरोक्त विषय में विधानसभा आम चुनाव 2024 के तहत आपको सूचित किया जाता है कि 51-बरवाला विधानसभा निर्वाचन क्षेत्र का स्ट्रांग रोल संघायत मदन सिंहवर चुकली हाल (परिवर्ती कक्ष) बनाया गया है। उनी यहीना (ई. वी. एम. एवं वी. वी. पैट) को दिनांक 26.09.2024 से तैयार करने की कार्यवाही करना न लाई जाएगी। अतः सतत कार्य के निरीक्षण हेतु आम तय्य उपस्थित होने का आम प्रतिनिधि को सतत का ज्ञात करें।

सहायक रिटर्निंग अधिकारी
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
सहस्रीतवार बरवाला।

दिनांक : 24.09.2024

क्रमांक निर्वाचन -2024 / 374-75

उपरोक्त की एक-एक प्रति निम्नलिखित की संख्या में सूचनाओं सादर प्रेषित है -
1. मूल-मैम सामान्य चुनाव पर्यवेक्षक, 51-बरवाला विधानसभा निर्वाचन क्षेत्र।
2. सहायक एवं जिला निर्वाचन अधिकारी हिसार।

सहायक रिटर्निंग अधिकारी
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
सहस्रीतवार बरवाला।

कार्यवाही बाबत स्ट्रॉग रूम खोलने बारे दिनांक 25.09.2024.

आज दिनांक 25.09.2024 को प्रातः 11:00 बजे सिल्वर जुबली हॉल, पश्चिमी कक्ष, पंचायत भवन, हिसार में स्थापित 51-बरवाला विधानसभा निर्वाचन क्षेत्र के स्ट्रॉग रूम को चुनाव हेतु ई.वी.एम. तैयार करने के कार्य के लिए रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-उपमण्डल अधिकारी (ना.), बरवाला व सहायक रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-तहसीलदार, बरवाला की उपस्थिति में खोला गया। इस कार्यालय के पत्र क्रमांक निवाचन 2024/373 दिनांक 24.09.2024 के द्वारा स्ट्रॉग रूम खोलने बारे समस्त उम्मीदवार 51- बरवाला विधानसभा क्षेत्र को सूचित कर दिया गया था।

[Signature]

[Signature]
RO

[Signature]
Sunit Kumar

[Signature]

[Signature]

Suresh

श. शक्ति कुमार

[Signature]

Register for Preparation of EVMs

Name of State/UT : Haryana

Name of District : Hisar


No. and name of Assembly Constituency: 51-Barwala

Address of EVM-VVPAT preparation hall: Silver Jubilee Hall, West Wing, Panchayat Bhawan,
Hisar


Date:

Sl. no.	Name of candidate	Name of representative of candidate with party affiliation, if any	Identity Document no. with Date	Signature of Candidate/His representative	Remarks, if any
1	ANANT RAM	Self			
2	PROF. CHHATTARPAL SINGH	Kuldeep Singh			
3	RANBIR GANGWA				
4	RAMNIWAS GHORELA	Sandeep			
5	SANJANA SATROAD	SUNIL KUMAR			
6	RAJIV KHATAK	Self			
7	BABA DARSHAN GIRI	Suresh Kumar			
8	RENU DALJEET SINGH				
9	SUMIT BLODA				

Note : If a candidate or his representative is absent the proof of due service of notice to the candidate should be pasted in the register.

PRITESH KUMAR
 (610401)

(Name and signature of engineers of BEL/ECIL with ID no.)


 (Name, designation, signature of officers nominated by District Election Officer)



Mock Poll certification during Preparation of EVMs

Date:

Name of State/UT : Haryana


Name of District : Hisar

No. and name of Assembly Constituency: 51-Barwala

Address of EVM-VVPAT preparation hall: Silver Jubilee Hall, Panchayat Bhawan, Hisar

It is certified that during commissioning of EVMs and VVPATs, mock poll of 1000 votes have been cast on 5% randomly selected EVMs, as well as VVPATs. After randomly selected the EVM of P.S. 21,25,57,65,67,75,84,113,179,R9 and R15 have been selected for Mock Poll. The electronic result tallied with paper count, picked up by me. There are no discrepancies between the votes polled during the mock poll.

Sr. No.	Name of Candidate	Name of Representative of Candidate with Party Affiliation, if any	Identity Document No. with Date	Signature of Candidate/his representative	Remarks, if any
1	ANANT RAM	Self			
2	PROF CHHATTARPAL SINGH	Kuldeep Singh			
3	RANBIR GANGWA				
4	RAMNIWAS GHORELA	Sanjeev			
5	SANJANA SATROAD	SUNIL KUMAR			
6	RAJIV KHATAK	Self			
7	BABA DARSHAN GIRI	Suresh Kumar			
8	RENU DALJEET SINGH				
9	SUMIT BLODA				

R.O.



Part- 1
Certification of EVMs by BEL/ECIL

Name of State/UT : Haryana

Name of District : Hisar

No. and name of Assembly Constituency: 51-Barwala

Address of EVM-VVPAT preparation hall: Silver Jubilee Hall, West Wing, Panchayat Bhawan,
Hisar

Date: 28-09-2024

It is certified that tests prescribed by BEL/ECIL to ascertain that all components are original were carried out on the Ballot Unit listed below on 28-09-2024 (date). On the basis of these tests it is certified that all components of the Ballot Unit listed below are original.

BU Identification No.

Sr. no.	Unique ID of Ballot Unit
1.	BBUEE50031
2.	BBUEE76047
3.	BBUEM96361
4.	BBUEE67596
5.	BBUEM95058
6.	BBUEE58854
7.	BBUAC73986
8.	BBUEM94632
9.	BBUEE63522
10.	BBUEQ35142
11.	BBUAC88842
12.	BBUEQ37682
13.	BBUEE59842
14.	BBUEQ37031
15.	BBUAE31622
16.	BBUEQ37831
17.	BBUEQ70142
18.	BBUEE53250
19.	BBUAC94198
20.	BBUAE46198





21.	BBUEM95260
22.	BBUEE73654
23.	BBUAC88845
24.	BBUAC77758
25.	BBUEQ62490
26.	BBUAC72289
27.	BBUAC12634
28.	BBUAC74699
29.	BBUEE74773
30.	BBUAE43497
31.	BBUEM99614
32.	BBUEE58021
33.	BBUAC70963
34.	BBUEM96219
35.	BBUAE47074
36.	BBUAC87074
37.	BBUAC04887
38.	BBUAC87429
39.	BBUAE41412
40.	BBUEE68596
41.	BBUEQ38812
42.	BBUAC71050
43.	BBUAC94210
44.	BBUEE51262
45.	BBUAC73895
46.	BBUAE46443
47.	BBUEE75499
48.	BBUAE46298
49.	BBUAC75066
50.	BBUEM99257
51.	BBUAC73165
52.	BBUEM95409
53.	BBUEQ70576
54.	BBUAC75377
55.	BBUAE32179
56.	BBUAE42835
57.	BBUEQ66593
58.	BBUAC12148
59.	BBUAE49100
60.	BBUEQ69001
61.	BBUEE68495
62.	BBUAE46730

63.	BBUEQ53921
64.	BBUAE44956
65.	BBUEE64552
66.	BBUAC76014
67.	BBUEE76995
68.	BBUEE64391
69.	BBUEE72700
70.	BBUEE60790
71.	BBUEM94551
72.	BBUEM95456
73.	BBUEM96216
74.	BBUAC88641
75.	BBUEE63197
76.	BBUEM95635
77.	BBUAC77610
78.	BBUEE77245
79.	BBUAE45080
80.	BBUEE60104
81.	BBUAC77044
82.	BBUEQ61219
83.	BBUEQ72261
84.	BBUEE77353
85.	BBUAC90652
86.	BBUAE46196
87.	BBUEE72840
88.	BBUEQ38681
89.	BBUEQ72859
90.	BBUEM95740
91.	BBUAE43885
92.	BBUEM99914
93.	BBUAC76864
94.	BBUAE46866
95.	BBUEE55702
96.	BBUAC76625
97.	BBUAC04492
98.	BBUAC78326
99.	BBUAE45741
100.	BBUAC77721
101.	BBUEE57125
102.	BBUEE59081
103.	BBUEQ33316
104.	BBUEE82818



105.	BBUAC88728
106.	BBUAE32131
107.	BBUEM96199
108.	BBUAC12037
109.	BBUAE09906
110.	BBUAE42825
111.	BBUAC05352
112.	BBUEQ30147
113.	BBUEQ70540
114.	BBUEE72583
115.	BBUEQ33605
116.	BBUEQ73446
117.	BBUEQ36684
118.	BBUAC11991
119.	BBUAE43992
120.	BBUEQ73329
121.	BBUEE68751
122.	BBUEE77693
123.	BBUEQ70465
124.	BBUAC89805
125.	BBUEE60496
126.	BBUAD98552
127.	BBUEE72672
128.	BBUEM95096
129.	BBUEQ72063
130.	BBUEE55682
131.	BBUAC76531
132.	BBUEE53764
133.	BBUEM95857
134.	BBUEE54275
135.	BBUEQ38532
136.	BBUEE65161
137.	BBUEQ34376
138.	BBUEE58154
139.	BBUEQ35933
140.	BBUEQ35303
141.	BBUEQ72387
142.	BBUAC87929
143.	BBUAE43764
144.	BBUEQ17582
145.	BBUAC79263
146.	BBUAC89456

147.	BBUAE44869
148.	BBUEE84922
149.	BBUEM99601
150.	BBUEE57145
151.	BBUAC79190
152.	BBUAE46212
153.	BBUAE44752
154.	BBUAC77705
155.	BBUAE46123
156.	BBUEE73987
157.	BBUEE70220
158.	BBUAC13465
159.	BBUEE64863
160.	BBUEQ64493
161.	BBUAE46208
162.	BBUEM94547
163.	BBUAE45153
164.	BBUEE76854
165.	BBUEE75860
166.	BBUEQ30303
167.	BBUEQ71000
168.	BBUEE74649
169.	BBUEM96294
170.	BBUAC88915
171.	BBUEQ30396
172.	BBUEM95470
173.	BBUEM95342
174.	BBUEE72378
175.	BBUAC75974
176.	BBUEE57340
177.	BBUAC07985
178.	BBUAE45586
179.	BBUAC90789
180.	BBUEQ34325
181.	BBUEE75667
182.	BBUAC77655
183.	BBUEM99575
184.	BBUEQ72939
185.	BBUAC73825
186.	BBUAC77760
187.	BBUEM99338
188.	BBUAC76566

189.	BBUEQ61707
190.	BBUEE59164
191.	BBUEE65514
192.	BBUAC77671
193.	BBUEE65412
194.	BBUAE48704
195.	BBUEE72818
196.	BBUEE67633
197.	BBUEQ72026
198.	BBUAE46423
199.	BBUEQ70281
200.	BBUAE43721
201.	BBUEE60108
202.	BBUAE43985
203.	BBUAE46802
204.	BBUEM94504
205.	BBUAE30157
206.	BBUAE43987
207.	BBUAC70954
208.	BBUAC79184
209.	BBUEE77466
210.	BBUEQ32014
211.	BBUAC02045
212.	BBUAE43010
213.	BBUAC74776
214.	BBUEM98297

Rudesh Kumar
(610441)

(Name & signature of BEL/ECIL engineers with ID No.)

↓

↓

Part- II

Register for sealing of Ballot Unit of EVMs using Pink Paper Seal

Name of State/UT: Haryana

Name of District: Hisar

Address of preparation hall: Silver Jubilee Hall, Panchayat Bhawan, Hisar

Date:

It is certified that the sealing of the Ballot Units using Pink Paper Seals has been done in my presence. I have put my signature on the Pink Paper Seals after sealing of the Ballot Units and I am satisfied with the sealing of the Ballot Units.

Sr. no.	Unique ID of Ballot Unit	Pink Paper Seal Serial no.
1.	BBUEE50031	690622
2.	BBUEE76047	690623
3.	BBUEM96361	690624
4.	BBUEE67596	690625
5.	BBUEM95058	690626
6.	BBUEE58854	690627
7.	BBUAC73986	690628
8.	BBUEM94632	690629
9.	BBUEE63522	690630
10.	BBUEQ35142	690631
11.	BBUAC88842	690632
12.	BBUEQ37682	690633
13.	BBUEE59842	690634
14.	BBUEQ37031	690635
15.	BBUAE31622	690636
16.	BBUEQ37831	690637
17.	BBUEQ70142	690638
18.	BBUEE53250	690639
19.	BBUAC94198	690640
20.	BBUAE46198	690641
21.	BBUEM95260	690642
22.	BBUEE73654	690643
23.	BBUAC88845	690644
24.	BBUAC77758	690645
25.	BBUEQ62490	690646
26.	BBUAC72289	690647
27.	BBUAC12634	690648





28.	BBUAC74699	690649
29.	BBUEE74773	690650
30.	BBUAE43497	690651
31.	BBUEM99614	690652
32.	BBUEE58021	690653
33.	BBUAC70963	690654
34.	BBUEM96219	690655
35.	BBUAE47074	690656
36.	BBUAC87074	690657
37.	BBUAC04887	690658
38.	BBUAC87429	690659
39.	BBUAE41412	690660
40.	BBUEE68596	690661
41.	BBUEQ38812	690662
42.	BBUAC71050	690663
43.	BBUAC94210	690664
44.	BBUEE51262	690665
45.	BBUAC73895	690666
46.	BBUAE46443	690667
47.	BBUEE75499	690668
48.	BBUAE46298	690669
49.	BBUAC75066	690670
50.	BBUEM99257	690671
51.	BBUAC73165	690672
52.	BBUEM95409	690673
53.	BBUEQ70576	690674
54.	BBUAC75377	690675
55.	BBUAE32179	690676
56.	BBUAE42835	690677
57.	BBUEQ66593	690678
58.	BBUAC12148	690679
59.	BBUAE49100	690680
60.	BBUEQ69001	690681
61.	BBUEE68495	690682
62.	BBUAE46730	690683
63.	BBUEQ53921	690684
64.	BBUAE44956	690685
65.	BBUEE64552	690686
66.	BBUAC76014	690687
67.	BBUEE76995	690688
68.	BBUEE64391	690689
69.	BBUEE72700	690690

70.	BBUEE60790	690691
71.	BBUEM94551	690692
72.	BBUEM95456	690693
73.	BBUEM96216	690694
74.	BBUAC88641	690695
75.	BBUEE63197	690696
76.	BBUEM95635	690697
77.	BBUAC77610	690698
78.	BBUEE77245	690699
79.	BBUAE45080	690700
80.	BBUEE60104	690701
81.	BBUAC77044	690702
82.	BBUEQ61219	690703
83.	BBUEQ72261	690704
84.	BBUEE77353	690705
85.	BBUAC90652	690706
86.	BBUAE46196	690707
87.	BBUEE72840	690708
88.	BBUEQ38681	690709
89.	BBUEQ72859	690710
90.	BBUEM95740	690711
91.	BBUAE43885	690712
92.	BBUEM99914	690713
93.	BBUAC76864	690714
94.	BBUAE46866	690715
95.	BBUEE55702	690716
96.	BBUAC76625	690717
97.	BBUAC04492	690718
98.	BBUAC78326	690719
99.	BBUAE45741	690720
100.	BBUAC77721	690721
101.	BBUEE57125	690722
102.	BBUEE59081	690723
103.	BBUEQ33316	690724
104.	BBUEE82818	690725
105.	BBUAC88728	690726
106.	BBUAE32131	690727
107.	BBUEM96199	690728
108.	BBUAC12037	690729
109.	BBUAE09906	690730
110.	BBUAE42825	690731
111.	BBUAC05352	690732

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

112.	BBUEQ30147	690733
113.	BBUEQ70540	690734
114.	BBUEE72583	690735
115.	BBUEQ33605	690736
116.	BBUEQ73446	690737
117.	BBUEQ36684	690738
118.	BBUAC11991	690739
119.	BBUAE43992	690740
120.	BBUEQ73329	690741
121.	BBUEE68751	690742
122.	BBUEE77693	690743
123.	BBUEQ70465	690744
124.	BBUAC89805	690745
125.	BBUEE60496	690746
126.	BBUAD98552	690747
127.	BBUEE72672	690748
128.	BBUEM95096	690749
129.	BBUEQ72063	690750
130.	BBUEE55682	690751
131.	BBUAC76531	690752
132.	BBUEE53764	690753
133.	BBUEM95857	690754
134.	BBUEE54275	690755
135.	BBUEQ38532	690756
136.	BBUEE65161	690757
137.	BBUEQ34376	690758
138.	BBUEE58154	690759
139.	BBUEQ35933	690760
140.	BBUEQ35303	690761
141.	BBUEQ72387	690762
142.	BBUAC87929	690763
143.	BBUAE43764	690764
144.	BBUEQ17582	690765
145.	BBUAC79263	690766
146.	BBUAC89456	690767
147.	BBUAE44869	690768
148.	BBUEE84922	690769
149.	BBUEM99601	690770
150.	BBUEE57145	690771
151.	BBUAC79190	690772
152.	BBUAE46212	690773
153.	BBUAE44752	690774

[Handwritten signature]

[Handwritten arrow pointing down and right]

[Handwritten arrow pointing down and right]

154.	BBUAC77705	690775
155.	BBUAE46123	690776
156.	BBUEE73987	690777
157.	BBUEE70220	690778
158.	BBUAC13465	690779
159.	BBUEE64863	690780
160.	BBUEQ64493	690781
161.	BBUAE46208	690782
162.	BBUEM94547	690783
163.	BBUAE45153	690784
164.	BBUEE76854	690785
165.	BBUEE75860	690786
166.	BBUEQ30303	690787
167.	BBUEQ71000	690788
168.	BBUEE74649	690789
169.	BBUEM96294	690790
170.	BBUAC88915	690791
171.	BBUEQ30396	690792
172.	BBUEM95470	690793
173.	BBUEM95342	690794
174.	BBUEE72378	690795
175.	BBUAC75974	690796
176.	BBUEE57340	690797
177.	BBUAC07985	690798
178.	BBUAE45586	690799
179.	BBUAC90789	690800
180.	BBUEQ34325	690801
181.	BBUEE75667	690802
182.	BBUAC77655	690803
183.	BBUEM99575	690804
184.	BBUEQ72939	690805
185.	BBUAC73825	690806
186.	BBUAC77760	690807
187.	BBUEM99338	690808
188.	BBUAC76566	690809
189.	BBUEQ61707	690810
190.	BBUEE59164	690811
191.	BBUEE65514	690812
192.	BBUAC77671	690813
193.	BBUEE65412	690814
194.	BBUAE48704	690815
195.	BBUEE72818	690816

R

h

d

196.	BBUEE67633	690817
197.	BBUEQ72026	690818
198.	BBUAE46423	690819
199.	BBUEQ70281	690820
200.	BBUAE43721	690821
201.	BBUEE60108	690822
202.	BBUAE43985	690823
203.	BBUAE46802	690824
204.	BBUEM94504	690825
205.	BBUAE30157	690826
206.	BBUAE43987	690827
207.	BBUAC70954	690828
208.	BBUAC79184	690829
209.	BBUEE77466	690830
210.	BBUEQ32014	690831
211.	BBUAC02045	690832
212.	BBUAE43010	690833
213.	BBUAC74776	690834
214.	BBUEM98297	690835

Sr. no.	Name of candidate	Name of representative of candidate with party affiliation, if any	Identity document No. with Date	Signature of Candidate/his representative
1	ANANT RAM			
2	PROF.CHHATTARPAL SINGH	Self Kuldeep Singh		
3	RANBIR GANGWA			
4	RAMNIWAS GHORELA	Randeep		
5	SANJANA SATROAD	SUNIL KUMAR		
6	RAJIV KHATAK	Self		
7	BABA DARSHAN GIRI	Suresh Kumar		
8	RENU DALJEET SINGH			
9	SUMIT BLODA			

Put

ds

ds

विधानसभा आम चुनाव 2024 / तत्काल / लिखित

प्रेषक

सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।

सेवा में

समस्त उम्मीदवार,
51-बरवाला विधानसभा निर्वाचन क्षेत्र।


क्रमांक : निर्वाचन-2024 / 540

दिनांक : 28.09.2024

विषय: हरियाणा विधानसभा चुनाव 2024- स्ट्रांग रूम सील करने बारे।

उपरोक्त विषय बारे विधानसभा आम चुनाव 2024 के तहत आपको सूचित किया जाता है कि 51-बरवाला विधानसभा निर्वाचन क्षेत्र का स्ट्रांग रूम पंचायत भवन, सितवर जुवली हाल (पश्चिमी कक्ष) बनाया गया है। सभी मशीनों (ई. वी. एम. एवं वी. वी. पैट) को तैयार करके दिनांक 28.09.2024 को सांय 08 बजे स्ट्रांग रूम में रखकर सील कर दिया जाएगा तथा दिनांक 04.10.2024 को प्रातः 07:30 बजे स्ट्रांग रूम को खोला जाएगा ताकि चुनाव में उपयोग होने वाली मशीनों को चुनाव पार्टी को चुनाव करवाने के लिए दिया जाए। जो मशीने तैयार करते हुए खराब हुई थी उनको भी ई. वी. एम. वेयर हाउस में भिजवा दिया गया है। जो मशीने खराब हुई है उनकी सूची निम्न प्रकार से है:


Sr. No.	Booth No.	Sr. No. of CU	Replace with	Booth No.	Sr. No. VVPAT	Replace with
1	43	BCUAE12482	BCUEI91112	115	BVTEI20638	BVTEQ33661
2	70	BCUAC71106	BCUAE47367	133	BVTEQ22676	BVTEQ30819
3	170	BCUAE31741	BCUEK28469	161	BVTEF05973	BVTEH92766
4	R 13	BCUAE29270	BCUEK25096	R 26	BVTEG29990	BVTEH71911


सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।

पृ० क्रमांक निर्वाचन -2024 / 541-542

दिनांक : 28.09.2024

- उपरोक्त की एक-एक प्रति निम्नलिखित की सेवा में सूचनार्थ सादर प्रेषित है :-
- माननीय सामान्य चुनाव पर्यवेक्षक, 51-बरवाला विधानसभा निर्वाचन क्षेत्र।
 - उपायुक्त एवं जिला निर्वाचन अधिकारी हिसार।


सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।

कार्यवाही बाबत स्ट्रॉग रूम सील करने बारे दिनांक 28.09.2024.

आज दिनांक 28.09.2024 को सांय 07:30 बजे सिल्वर जुबली हॉल, पश्चिमी कक्ष, पचायत भवन, हिसार में स्थापित 51-बरवाला विधानसभा निर्वाचन क्षेत्र के स्ट्रॉग रूम को चुनाव हेतु समस्त ई.वी.एम. तैयार करने के कार्य व 5 प्रतिशत ई.वी.एम. में मॉक पोल (प्रति मशीन 1000) के उपरान्त रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-उपमण्डल अधिकारी (ना.), बरवाला व सहायक रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-तहसीलदार, बरवाला व उपमण्डल अभियन्ता, पी.डब्ल्यू.डी., बी. एण्ड आर. बरवाला (ई.वी.एम. स्ट्रॉग रूम इन्चार्ज) की उपस्थिति में स्ट्रॉग रूम सील किया गया।

↓
RO

RO

सुनील कुमार
सचिव

↓

↓
अभिजात

↓
dr

विधानसभा आम चुनाव 2024 / तत्काल / तिथिबद्ध

प्रेषक

सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।

सेवा में,

समस्त उम्मीदवार,
51-बरवाला विधानसभा निर्वाचन क्षेत्र।

क्रमांक : निर्वाचन-2024 / 484-492

दिनांक : 03.10.2024

विषय:

हरियाणा विधानसभा चुनाव 2024- चुनाव सामग्री वितरण हेतु स्ट्रांग रूम खोलने बारे।

उपरोक्त विषय बारे विधानसभा आम चुनाव 2024 के तहत आपको सूचित किया जात है कि 51-बरवाला विधानसभा निर्वाचन क्षेत्र का स्ट्रांग रूम पंचायत भवन, सिल्पर जुबली हाल (पश्चिम कक्ष) बनाया गया है। दिनांक 04.10.2024 को प्रातः 07:30 बजे स्ट्रांग रूम को खोला जाएगा ताकि चुनाव में उपयोग होने वाली मशीनों को चुनाव पोलिंग पार्टियों को चुनाव करवाने के लिए दिया जाए।

अतः आप स्ट्रांग रूम खोलने के समय स्वयं उपस्थित होने या अपने प्रतिनिधि को भेजने का कष्ट करें।

(R)
सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।

पू0 क्रमांक निर्वाचन -2024 / 483-494

दिनांक : 03.10.2024

उपरोक्त की एक-एक प्रति निम्नलिखित की सेवा में सूचनार्थ सादर प्रेषित है :-

1. माननीय सामान्य चुनाव पर्यवेक्षक, 51-बरवाला विधानसभा निर्वाचन क्षेत्र।
2. उपायुक्त एवं जिला निर्वाचन अधिकारी हिसार।

(R)
सहायक रिटर्निंग अधिकारी,
51-बरवाला विधानसभा निर्वाचन क्षेत्र एवं
तहसीलदार बरवाला।



कार्यवाही बाबत स्ट्रॉग रूम खोलने बारे दिनांक 04.10.2024.

आज दिनांक 04.10.2024 को प्रातः 09 बजे सिल्वर जुबली हॉल, पश्चिमी कक्ष, पंचायत भवन, हिसार में स्थापित 51-बरवाला विधानसभा निर्वाचन क्षेत्र के ई.वी.एम. स्ट्रॉग रूम को दिनांक 05.10.2024 को होने वाले चुनाव हेतु ई. वी. एम. पोलिंग पार्टियों को वितरण की जाने के लिए रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-उपमण्डल अधिकारी (ना.), बरवाला व सहायक रिटर्निंग अधिकारी, विधानसभा निर्वाचन क्षेत्र, 51-बरवाला-कम-तहसीलदार, बरवाला, उपमण्डल अभियन्ता पी. डब्ल्यू. डी. (बी. एण्ड आर.), उम्मीदवार एवं उनके चुनाव एजेंट/ प्रतिनिधियों की उपस्थिति में खोला गया। इस कार्यालय के पत्र क्रमांक निर्वाचन 2024/784-92 दिनांक 03-10-2024 के द्वारा स्ट्रॉग रूम खोलने बारे समस्त उम्मीदवार 51- बरवाला विधानसभा क्षेत्र को सूचित कर दिया गया था।





Sanil Kumar
(INZO)
राजीव कुमार


dr
RO


AR6
SDE


dr


The Strong Room in Silver Jubilee Hall, West Wing, Panchayat Bhawan, Hisar meant for 51-Barwala Assembly Constituency after storage of polled EVMs of 179 polling booths have been locked and sealed on dated 06.10.2024 at 00.13 P.M safe and sound in the presence of:-

1. 
2. 
3. 
4. 
- 5.


 RO


 RO

 Gen Sec.

 Jay Dy. ST 602

After sealing the strong room is being handed over to Insp Ram Avatas up to 08.10.2024 the day of counting of votes. The logbook of the strong room has been prepared and now will be maintained by the In-charge of the Police personnel as per the guidelines of the Election Commission of India.


Handed Over

 Returning Officer,
 51-Barwala Assembly Constituency-cum-
 Sub Divisional Officer (C) Barwala

Taken Over

 107355013
 Insp/19 Ram Avatas
 108 RPF/198

Endst. No. 836

Dated. 06.10.2024

A copy of the above is forwarded to the District Election Officer-cum- Deputy Commissioner, Hisar for kind information please.


 Returning Officer,
 51-Barwala Assembly Constituency-cum-
 Sub Divisional Officer (C) Barwala



GENERAL ELECTIONS TO THE STATE LEGISLATIVE ASSEMBLY - 2024

24

From

Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala

To

All the Contesting Candidates,
51-Barwala Assembly Constituency.


Memo No. : 886 /2024/

Dated : 07/10/2024

Subject :- Notice- Opening of Strong Room on day of counting.

As you are well aware that counting of 51-Barwala Assembly Constituency will commence at 8:00 a.m. on 08-10-2024 at Silver Jubilee Hall, West Wing Panchayat Bhawan, Hisar.

In this regard, the strong room established at the above mentioned counting centers will be opened at 07:30 AM on dated 08-10-2024. Therefore, you are requested to remain present at the time of opening of strong room or in absence, please authorize your Election Agent or any other representative.



Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala

Endst. No. : 887

/2024/

Dated 07/10/2024

A copy of above is being forwarded to Deputy Commissioner-cum- District Election Officer, Hisar for information and necessary action.


Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala

The Strong Room in Silver Jubilee Hall, West Wing, Panchayat Bhawan, Hisar meant for 51-Barwala Assembly Constituency after storage of polled EVMs of 179 polling booths have been locked and sealed on dated 06.10.2024 at 00.13 AM safe and sound in the presence of General Observer, Returning Officer, Asstt. Returning Officer, Candidate and their representative. For counting of vote the strong room opened at 8:10 am on dated 08.10.2024 in the presence of:

- 1. SANJANA SATROAD *Sanjana*
- 2. *Sunil Bada* *Sunil* *RSO*
- 3. *रविशंकर*
- 4. *अशोक* *Gen. obs.*
- 5. *जितेंद्र*
- 6. *रामेश्वर*
- 7. *सुन्दर*
- 8. *राजेश्वर*
- 9. *अशोक*

Returning Officer,
51-Barwala Assembly Constituency-cum-
Sub Divisional Officer (C) Barwala

Endst. No.

Dated.

A copy of the above is forwarded to the District Election Officer-cum- Deputy Commissioner, Hisar for kind information please.

[Signature]
Returning Officer,
51-Barwala Assembly Constituency-cum-
Sub Divisional Officer (C) Barwala

[Signature]

GENERAL ELECTIONS TO THE STATE LEGISLATIVE ASSEMBLY - 2024

26

From

Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala

To

All the Contesting Candidates,
51-Barwala Assembly Constituency.


Memo No. : 884 /2024/

Dated : 07/10/2024

Subject :- Notice regarding re-sealing and storage of election material/machines (EVMs/VVPATs) etc after declaration of result.

This is inform to you that after completion of counting process on 08-10-2024, the election material /machines (EVMs/VVPATs) etc will be re-sealed again as per instructions given by Election Commission of India and will be stored at Silver Jubilee Hall, West Wing Panchayat Bhawan, Hisar.

Therefore, all the candidates/election agents/authorized representatives are being invited to remain present during the re-sealing process and storage of EVMs/VVPATs/ Election papers etc.



Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala

Endst. No. : 885

/2024/

Dated 07/10/2024

A copy of above is being forwarded to Deputy Commissioner, Hisar -cum- District Election Officer, Hisar for information and necessary action.


Returning Officer,
51-Barwala Assembly Constituency -cum-
S.D.O. (C) Barwala


Haryana Legislative Assembly General Election-2024

PROCEEDING OF SCRUTINY FOR A.C. 51-BARWALA

The notice of scrutiny by Hon'ble General Observer was given to all the candidates. The scrutiny was done by Hon'ble General Observer on 06.10.2024 at 11:00 A.M. at Silver Jubilee Hall, West Wing, Panchayat Bhawan Hisar in the presence of Returning Officer/Asstt. Returning Officer and representatives of candidate. As per the criteria fixed by the Election Commission of India, a total of 10 Polling Stations were randomly selected in consultant with Returning Officer/Asstt. Returning Officer and representatives of political party. Detail of selected polling stations for scrutiny are given below:

01. Polling Station No. :	03
02. Polling Station No. :	13
03. Polling Station No. :	40
04. Polling Station No. :	41
05. Polling Station No. :	59
06. Polling Station No. :	75
07. Polling Station No. :	84
08. Polling Station No. :	127
09. Polling Station No. :	136
10. Polling Station No. :	163


The scrutiny was done as per the prescribed process and instruction of Election Commission of India. Nothing adverse found, hence No Repoll recommended by the worthy General Observer and the scrutiny process was satisfactorily concluded.


(Rep. Sh. Ramesh Singh Gangwar)

Sunil Kumar

Sagar
Rathore

दि. 06.10.2024


RO

RO
ARO

दि. 06.10.2024
अ. अ. 51-बारवाल

